

pellon[®]

*The Magic
in the Middle*

Under Cover Indoor Awning Skill Level: Beginner

Designed By
Madame Samm
Sewn By
Madame Samm
www.sewquiltnow.com



This indoor awning tutorial is perfect for adding some extra 'wow' to your home décor. Make one and install to turn your everyday dining space into a Parisian Café. Sample used fabrics from the Tuxedo Line by Riley Blake. Project is intended for a window between two cupboards but could be altered to fit any specifications.

Fabric Needed

Awning Fabric	1 1/2 yards
Backing Fabric	1 1/2 yards
Coordinating fabric for letters	Two contrasting fat quarters, one darker than the other

Materials Needed

Pellon [®] 809 Décor Bond [®]	1 1/2 yards
Pellon [®] 805 Wonder Under [®]	1 package
Two lumber rods to match width of awning	
Four Felt Pads	
Thread	

Tools Needed

Sewing machine and related supplies
Scissors

Graphic Artist Alexandra Henry

PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY ©2012 - PCP Group, LLC

Cutting and Assembly Instructions


Cut awning and backing fabric 54" x (4" wider than your coverage width).

Cut Pellon® Décor Bond® 1" larger than fabric on all sides.

Fuse Décor Bond® to the wrong side of the awning fabric, first by laying a damp pressing cloth on the Décor Bond® and then starting in the center of the fabric and moving toward the edges.



Trim the excess Décor Bond®.




Create a scalloped edge using a scalloped edge ruler. Trace the edge 2" from the bottom edge of the fabric. Start in the center and work toward the edges to ensure scallops are centered. Sample used the June Taylor ruler.

Carefully cut along the drawn line.



Print a reverse mirror image of the lettering to be used on the awning. Trace these letters onto the paper side of the Wonder-Under®.

Fuse the Wonder-Under® to the wrong side of the two fabrics that will be used for the lettering. Let fabric cool for 10-15 minutes. Cut out letters. Remove paper backing.




Place the darker set of letters on the awning and fuse into place. The darker fabric in back creates a shadow effect.

Finish the edges of the letters with a blanket stitch or other stitch as desired.



Place the lighter set of letters slightly to the right of the first set. Fuse into place.

Finish the edges of the letters with a blanket stitch or other stitch as desired.



Press the two layers again to smooth the awning.



Place the wrong side of the backing fabric against the wrong side of the awning fabric. Pin into place. Stitch down the center of the awning and then one line 11" to each side of the center.


Cut a 2" strip of fabric on the bias. Sample used one 42" piece. Pin the bias strip to the scalloped edge, right sides together. Stitch using a 1/4" seam allowance.



Trim seam allowance to 1/4".



Pin or clip the binding into place. Hand applique binding into place.



Turn sides the same width as bias to 1/2" and then stitch by machine on the edge of the seam.



Cut one 5" width of fabric strip. Press 1/4" seam on both sides.

Stitch in place 9" from the scalloped edge to create pocket.

Turn top edge down 1/4". Press. Then turn top edge down 3" and stitch in place to create pocket.



Cut 1/8" off your rods to allow for felt pads. Attach felt pads. Insert rods into pockets.

Hang awning.

