

Stack 'n Slash Lutradur Wall Hanging

Skill Level: Beginner

Designed By
Nancy Wygle
Sewn By
Nancy Wygle



Create your own watercolor quilt with Pellon[®] Lutradur[®].

Fabrics Needed

Backing Fabric	1-1/2 yards
Binding Fabric	5/8 yard

Materials Needed


Pellon [®] Lutradur [®] 70g	1-1/8 yards
Legacy [™] by Pellon [®] 100% Cotton White Batting	3/4 yard
Jacquard [™] Dye-n-Flow [®]	Various colors
Foam Brush	
Thread	

Tools Needed


Sewing machine and related supplies
Rotary cutting tools

Instructions


Add 25% water to the paint to lighten the color to a pastel shade. Place a protective sheet under the Lutradur® to protect the surface underneath. Paint the Lutradur®. Let it dry completely.



Cut the Lutradur® for the blocks into nine 8" squares. Stack the squares. Cut the Lutradur® for the border into two 2-1/2" x 18-1/2" rectangles and two 2-1/2" x 22-1/2" rectangles. Set the border strips aside.




Make a slash in a diagonal direction on the nine 8" squares. Separate the two piles. Move the top piece from the the pile on the left to the bottom of its stack.



Place one piece from the top of each stack right sides together. Sew the pieces together using a 1/4" seam allowance. Press seams in one direction. Repeat until all nine blocks are sewn together. Keep the stacks of blocks in order.



Make a second slash. Separate the two stacks. Move the top two pieces from the pile on the left to the bottom of their stack. Place one piece from the top of each stack right sides together. Sew the pieces together using a 1/4" seam allowance. Repeat until all nine blocks are sewn together.



Repeat this step until all blocks have been slashed seven times. Using a rotary cutter, square all blocks to 6-1/2" x 6-1/2".



Sew three blocks together to form a row using a 1/4" seam allowance. Repeat two more times.



Sew the three rows together using a 1/4" seam allowance.



Sew the top and bottom borders onto the quilt top using a 1/4" seam allowance. Press the seams towards the border. Sew the two side borders onto the quilt using a 1/4" seam allowance. Press the seams towards the borders. Quilt as desired. Make and sew on the binding.

