






Witch Shoe - Block 3 of 13 - 9" Finished
Refer to Trick or Treat Quilt-a-Long Overview for fabric lettering and requirements.
All seam allowances are 1/4".



Cutting Instructions

- Fabric A  Cut two 1-7/8" squares.
Cut three 1-1/2" squares.
Cut one 1" x 2" rectangle.
Cut one 1" x 2-1/2" rectangle.
Cut one 1-1/2" x 7-1/2" rectangle.
Cut one 1-1/2" x 2-1/2" rectangle.
Cut one 1-1/2" x 3-1/2" rectangle.
Cut one 1-1/2" x 8-1/2" rectangle.
Cut one 3-1/2" x 4-1/2" rectangle.
- Fabric C  Cut one buckle. See template on page 8.
- Fabric F  Cut one 1-1/2" x 7-1/2" rectangle.
Cut one 1-7/8" square.
Cut two 1-1/2" x 2-1/2" rectangles.
- Fabric H  Cut four 1-7/8" squares.
Cut one 2-3/8" square.
Cut one 1-1/2" x 4-1/2" rectangle.
Cut one 3-1/2" square.
Cut two 1-1/2" x 2-1/2" rectangles.
Cut two 1-1/2" x 3-1/2" rectangles.

Half Square Triangles

Make half square triangle units (HST) by placing two $1\frac{7}{8}$ " squares right sides together. Draw a diagonal line as shown on the lighter of two squares. Squares to place together are shown below.





Fabric A/Fabric H Make three
Fabric F/Fabric H Make one

Make one half square triangle with one $2\frac{3}{8}$ " fabric A square and one $2\frac{3}{8}$ " fabric H square.


Sew $\frac{1}{4}$ " on each side of the drawn line.

Cut on the drawn line.

Press seam towards the darker of the two fabrics. Half square triangle units needed for the block shown at right. Set the extra HST units aside.



Sew the larger HST unit A/H to one fabric A 1" x 2" rectangle . Press seam in the direction of the arrow.



Sew the smaller HST units to the fabric pieces shown at right.


HST A/H to fabric A 1-1/2" square as shown

HST A/H to fabric A 1-1/2" square to HST F/H as shown

Fabric H 1-1/2" square to HST A/H to fabric A 1-1/2" square as shown


Fabric A 1-1/2" x 2-1/2" rectangle to HST A/H as shown

HST F/H to fabric H 1-1/2" x 2-1/2" rectangle to HST A/H as shown




Press seams in the direction of the arrows.


Sew fabric A 1" x 2-1/2" rectangle to the unit shown at right. Press seam in the direction of the arrow.




Sew fabric H 1-1/2" x 4-1/2" rectangle to the unit shown at right. Press seam in the direction of the arrow.




Sew the two units together that are shown at right. Press seam in the direction of the arrow.




Sew fabric H 1-1/2" x 2-1/2" rectangle to the unit shown at right. Press seam in the direction of the arrow.




Sew fabric A 1-1/2" x 3-1/2" rectangle to fabric F 1-1/2" x 2-1/2" rectangle as shown. Press seam in the direction of the arrow.




Sew these two units together as shown. Press seam in the direction of the arrow.




Sew fabric H 1-1/2" x 3-1/2" rectangle to the two units shown at right. Press seam in the direction of the arrow.




Sew fabric A 3-1/2" x 4-1/2" rectangle to the unit shown at right. Press seam in the direction of the arrow.




Sew fabric H 1-1/2" x 3-1/2" rectangle to the unit shown at right. Press seam in the direction of the arrow.




Sew the two sections together as shown. Press seam in the direction of the arrow.




Sew the two sections together as shown. Press seam in the direction of the arrow.




Sew fabric H 3-1/2" x 4-1/2" to the unit shown at right. Press seam in the direction of the arrow.




Sew fabric F 1-1/2" x 7-1/2" rectangle to the unit shown at right. Press seam in direction of the arrow.



Sew the two sections together as shown. Press seam in the direction of the arrow.




Sew the two sections together as shown. Press seam in the direction of the arrow.




Sew fabric A 1-12" x 7-1/2" rectangle to fabric F 1-1/2" x 2-1/2" rectangle as shown. Press seam in the direction of the arrow.



Sew fabric A 1-1/2" x 8-1/2" rectangle to the unit show. Press seam in the direction of the arrow.



Sew the remaining unit onto the block as shown. Press seam in the direction of the arrow.



For machine applique, trace the template below onto the paper side of the Wonder-Under®. Iron the Wonder-Under® to the wrong side of the fabric for the buckle. Cut out the applique piece. Remove the paper and fuse into place on the block. Finish the edge with either a straight or zigzag stitch.

For hand applique, use the template below, add a scant seam allowance and stitch using a favorite applique method.

