

Stencil Dyed Wall Hanging Skill Level: Beginner

Designed By Nancy Wygle Sewn By Nancy Wygle



Use Shiva® Artist Paintstik® to stencil on tie-dyed blocks for a retro-MOD 60's look for this bright and colorful wall hanging. Fast and fun, you will want to make an extra for someone on your guest list.

Fabrics Needed

Pellon® 300 Thread Count Fabric 1 yard White Binding fabric 1/2 yard Backing fabric 1 yard

Materials Needed

Legacy™ by Pellon® 100% Cotton Batting

S-E-I tumble dye

Shiva® Artist Paintstik®*

Balzer Designs Stencil

One crib size

Various colors

One color

One 6" x 6"

Tools Needed

Sewing machine and related supplies Rotary cutter and related supplies Stencil Brush Pallet Paper

^{*}Note the manufacturer's warning label for the Paintstik®

Step 1. Cut two $3-1/2'' \times 27-1/2''$ strips and two $3-1/2'' \times 33-1/2''$ strips of 300 Thread Count fabric for the border. Set these aside for a later step.

Step 2. Cover the work space and dye the remaining 300 thread count fabric with the S.E.I. tumble dye, following manufacturer's instructions. Air dry. Set the fabric following manufacturer's instructions.



Step 3. Cut the dyed fabric into nine 9-1/2" squares. Use a Paintstik® and a stencil brush to stencil five of the blocks. Let dry and then heat set following manufacturer's instructions.



Step 4. Use the Paintstik® and a stencil brush to paint the border strips. Let dry. Heat set following manufacturer's instructions.



Step 5. Arrange the blocks into three rows of three blocks each. Stitch the blocks in each row using a 1/4" seam allowance. Press seams on rows 1 and 3 to the left. Press seams on row 2 to the right.

Step 6. Sew the rows together. Press seams down.

Step 7. Place one 3-1/2" x 27-1/2" border strip right sides together on each side of the quilt top, aligning the raw edges. Stitch using a 1/4" seam allowance. Press seam toward the borders.



Step 8. Place one 3-1/2" x 33-1/2" border strip right sides together on the top of the quilt top, aligning the raw edges. Stitch using a 1/4" seam allowance. Repeat with remaining strip on the bottom of the wall hanging. Press seams toward the borders.

Step 9. Layer quilt top, batting and backing. Quilt as desired. Sew binding to the quilt.